

## **4142 FIRST AID KIT - 4142 first aid kit**

**Honeywell Safety Products USA, INC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).*

-----

### **4142 First Aid Kit (Burn Jel, BZK wipes, 1st aid Sp, EW, ASA, amm. Inh- SF00004067)**

#### **Eyewash**

##### ***Active ingredient***

Sterile Water 99%

#### **Eyewash**

##### ***Purpose***

Eyewash

#### ***Eyewash***

##### ***Uses***

- for flushing the eye to remove loose foreign material, air pollutants or chlorinated water

#### **Eyewash**

##### ***Warnings***

**For external use only** Obtain immediate medical treatment for all open wounds in or near eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard.

##### **Do not use**

- if solution changes color or becomes cloudy
- if you have open wounds in or near the eyes, get medical help right away.

##### **Stop use and ask a doctor if**

- you experience eye pain
- changes in vision
- continued redness or irritation of the eye
- condition worsens or persists

##### **Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away.

#### **Eyewash**

##### ***Directions***

- remove contacts before using
- twist top to remove
- flush the affected area as needed
- control rate of flow by pressure on the bottle
- if necessary, continue flushing with emergency eyewash or shower

#### **Eyewash**

### ***Inactive ingredients***

sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic

### **Eyewash**

#### ***Questions***

1-800-430-5490

### **Aspirin**

#### ***Active ingredient (in each tablet)***

Aspirin 325 mg (NSAID)\* \*nonsteroidal anti-inflammatory drug

### **Aspirin**

#### ***Purpose***

Pain reliever/fever reducer

### **Aspirin**

#### ***Uses***

temporarily reduces fever and relieves minor aches and pains associated with:

- a cold
- headache
- toothache
- muscular aches
- backache
- minor pain of arthritis
- premenstrual and menstrual periods

### **Aspirin**

#### ***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:are:

- age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

- take more or for a longer time than directed

**Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if you are**

- taking a prescription drug for diabetes, gout or arthritis

**Stop use and ask a doctor if**

- you experience any of the following signs of stomach bleeding:
- feel faint
- vomit blood
- have bloody or black stools
- have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present in the painful area
- ringing in the ears or loss of hearing occurs
- any new symptoms appear

**If pregnant or breast-feeding,**

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last three months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.**

- In case of overdose, get medical help or contact Poison Control Center right away.

**Aspirin*****Directions***

- drink a full glass of water with each dose
- adults and children 12 years of age and older: take 1 or 2 tablets every 4 hours while symptoms last, not more than 12 tablets in 24 hours
- children under 12 years of age: consult a doctor

**Aspirin*****Other information***

- store at room temperature 15° - 30°C (59° - 86°F)
- TAMPER EVIDENT PACKETS
- DO NOT USE IF OPEN OR TORN

**Aspirin**

***Inactive ingredients***

corn starch, croscarmellose sodium\*, hypromellose\*, microcrystalline cellulose\*, mineral oil\*, polyethylene glycol\*, povidone, propylene glycol, silicon dioxide, stearic acid\*, titanium dioxide\*

\*may contain these ingredients

**Aspirin*****Questions or Comments***

1-800-430-5490

**Ammonia*****Active ingredient***

Ammonia 15%

**Ammonia*****Purpose***

Respiratory stimulant

**Ammonia*****Uses***

- to prevent or treat fainting

**Ammonia*****Warnings*****For external use only****Do not use**

- if you have breathing problems such as asthma or emphysema

**Stop use and ask a doctor if**

- condition persists

**Keep out of reach of children**

- If swallowed get medical help or contact a Poison Control Center right away.

**Ammonia*****Directions***

- hold inhalant away from face and crush ampoule between thumb and forefinger at position indicated on sleeve.
- hold near nostrils for inhalation of volatile vapor

**Ammonia*****Other information***

- store at room temperature away from light

**Ammonia**

***Inactive ingredient***

alcohol USP, FD&C red #40, lavender oil, lemon oil fcc, nutmeg oil, purified water

**Ammonia*****Questions or Comments?***

1-800-430-5490

**Water Soluble 1st Aid Spray*****Active ingredient***

Benzethonium chloride 0.2% w/w - Benzocaine 10% w/w

**Water Soluble 1st Aid Spray*****Purpose***

Topical antiseptic

Topical anesthetic

**Water Soluble 1st Aid Spray*****Uses***

for temporary relief of pain and itching and helps protect against infection in

- minor cuts and scrapes
- insect bites
- minor skin irritations

**Water Soluble 1st Aid Spray*****Warnings*****For external use only****Flammable**

- keep away from fire or flame
- contents under pressure
- do not puncture or incinerate container
- do not expose to temperature above 120 °F

**Do not use**

- in the eyes or other mucous membranes
- in cases of serious burns
- in case of deep or puncture wounds
- for a prolonged period of time
- on large portion of the body

**Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- condition clears up and occurs again within a few days
- redness, swelling, or irritation occurs

**Keep out of reach of children**

- If swallowed, get medical help or contact a Poison Control Center right away

### **Water Soluble 1st Aid Spray**

#### ***Directions***

- clean the affected area
- shake can well before using
- hold 4 - 6 inches from surface and spray area until wet
- may be covered with a sterile bandage. If bandaged, let dry first
- for adult institutional use only
- not intended for use on children

### **Water Soluble 1st Aid pray**

#### ***Other information***

- avoid inhaling
- use only as directed
- intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

### **Water Soluble 1st Aid pray**

#### ***Inactive ingredients***

dipropylene glycol, isobutane, N-butane, propane

### **Burn Jel**

#### ***Active ingredient***

Lidocaine HCl 2.0%

### **Burn Jel**

#### ***Purpose***

External analgesic

### **Burn Jel**

#### ***Uses***

- temporarily relieves pain due to minor burns

### **Burn Jel**

#### ***Warnings***

**For external use only**

#### **Do not use**

- on large areas of the body, particularly over raw surfaces or blistered areas
- When using this product
- avoid contact with eyes

#### **Stop use and ask a doctor if**

- the condition gets worse
- symptoms persist for more than 7 days

- condition clears up and recurs within a few days

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Burn Jel**

#### ***Directions***

- adults and children 2 years of age and older; apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: ask a doctor
- you may report a serious reaction to this product to 800-430-5490

### **Burn Jel**

#### ***Other information***

- store at room temperature
- do not use if opened or torn

### **Burn Jel**

#### ***Inactive ingredients***

carbopol 940, carbopol 1342, diazolidinyl urea, glycerin, melaleuca alternifolia (tea tree) leaf oil, methylparaben, octoxynol-9, propylene glycol, propylparaben, trolamine, water

### **Burn Jel**

#### ***Questions***

1-800-430-5490

### **BZK**

#### ***Active ingredient***

Benzalkonium chloride 0.13% w/v

### **BZK**

#### ***Purpose***

First aid antiseptic

### **BZK**

#### ***Uses***

- Antiseptic cleansing of face, hands, and body without soap and water

### **Do not use**

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

**BZK*****Warnings*****For external use only****Stop use and ask a doctor if**

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**BZK*****Directions***

- tear open packet and use as a washcloth

**BZK*****Other information***

- store at room temperature 15 0 to 30 0C (59 0 - 86 0F)
- do not reuse towelette

**BZK*****Inactive ingredient***

water

**BZK*****Questions***

1-800-430-5490

**4142****SF00004067 Kit Contents**

1 KNUCKLE BAND 8 PER

1 WIRE SPLINT 1 PER

1 GAUZE PADS, 3" X 3", 4 PER

1 INSTANT COLD PACK 4" X 6"

1 ADHESIVE BDG, PLSTIC, 1" X 3" 16 PER

1 FINGERTIP BANDAGE, 10 PER

1 BURN JEL 1/8 OZ, 6 PER

1 ANTIMCRBL ANTSPCTC TWLETTTS

1 FIRST AID GUIDE ASHI

1 TAPE ADHESIVE 1" X 5 YD PLSTC

2 GAUZE CLEAN-WRAP BDGE N/S 2"

1 FIRST AID SPRAY AEROSOL 3 OZ



1 4OZ BFS EYEWASH TRILINGUAL BOTTLE  
1 SCISSOR BDGE 4" RED PLS HDL  
1 KIT TWEEZER 3 1/2" SLANTED  
1 BANDAGE COMP 4" W/TELFAPAD 1  
LBL STOCK 6-3/8"X4"  
LBL STOCK 4"X2-7/8"  
1 LBL STOCK 3"x1-7/8"  
2 PR LRG NITRILE GLVES ZIP BAG  
1 KIT STL 24 UN WHITE 01  
1 TRI BNDG NON WOVEN 40"X40"X56"  
10 NON ADHERENT PAD 2" X 3"  
3 ASPIRIN BULK 2/PK  
2 AMMONIA INHALANT, BULK

**Eyewash**

***Principal Display Panel***

Honeywell

TAMPER-EVIDENT CAP.  
TAPA CON SELLO DE SEGURIDAD.  
BOUCHON INDICATEUR D'INFRACTION.

eyesaline®

LAVAOJOS  
EYESALINE

Solución  
Isotónico Estéril

EYESALINE  
EYEWASH

Sterile  
Isotonic Solution

LAVAGE  
OCULAIRE  
EYESALINE

La Solution  
Isotonique Stérile

16 fl. oz. (473 mL)

NPN: 80057528



#### Drug Facts (for USA only)

Active ingredient	Purpose
Sterile water 99%	Eyewash
<b>Uses</b> for flushing the eye to remove loose foreign material, air pollutants, or chlorinated water.	
<b>Warnings</b> <b>For external use only</b> - Obtain immediate medical treatment for all open wounds in or near the eyes. To avoid contamination, do not touch tip of container to any surface. Do not reuse. Once opened, discard. <b>Do not use</b> • if solution changes color or becomes cloudy • if you have open wounds in or near the eyes, get medical help right away <b>Stop use and consult a doctor if:</b> • you experience eye pain • changes in vision • continued redness or irritation of the eye • condition worsens or persists <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • remove contacts before using • twist top to remove • flush the affected area as needed • control rate of flow by pressure on the bottle • if necessary, continue flushing with emergency eyewash or shower	
<b>Inactive ingredients</b> sodium chloride, sodium phosphate dibasic, sodium phosphate monobasic	
<b>Questions?</b> Call 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

LABEL 432-004510 Rev. J REORDER / NUEVO PEDIDO / RÉAPPROVISIONNEMENT 432-000454-0000

space for lot code and supplier part number

PEEL / PELAR / PELER


#### Datos de medicamento (Para EE.UU. solamente)

Ingrediente Activo	Propósito
Agua estéril 99%	Lavaojos
<b>Usos</b> para el lavado de ojo para quitar las partículas sueltas y extrañas, los contaminantes aeros, o agua de cloruro.	
<b>Advertencias</b> <b>Para el uso externo sólo</b> - Obtenga tratamiento médico inmediato para todas las heridas abiertas en o cerca de los ojos. Para evitar la contaminación, no toque la punta del envase con ninguna superficie. No vuelva a usar. Vez abierto, descarte. <b>No se use</b> • si la solución se enturbia o cambia de color • si tiene heridas abiertas en o cerca del ojo, obtenga ayuda médica de inmediato <b>Deje de usar y consulte a un médico si:</b> • experimenta dolor de ojo • cambio de visión • rojez continuo o irritación del ojo • la condición empeora o persiste <b>Manténgase fuera del alcance de los niños.</b> En caso de ingestión accidental, obtenga atención médica o llame a un Centro de control de envenenamiento inmediatamente.	
<b>Instrucciones</b> • quítense los lentes de contacto antes de usar la solución • tuerza la tapa para quitar • enjuague el área afectada según se necesite • controle el chorro haciendo presión en la botella • si es necesario, sigue enjuagado con un lavaojos o ducha de emergencia	
<b>Ingredientes inactivos</b> cloruro de sodio, fosfato de sodio dibásico, fosfato de sodio monobásico	
<b>¿Preguntas?</b> Llame al 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917	

#### Information



<b>Usages</b> Pour le rinçage des yeux afin d'enlever un corps étranger, des polluants atmosphériques ou de l'eau chlorée.
<b>Advertissements</b> <b>Pour usage externe seulement</b> - Obtenir immédiatement des soins médicaux pour toutes les plaies ouvertes dans ou près des yeux. Pour éviter toute contamination, ne pas toucher la pointe du récipient à n'importe quelle surface. Ne pas réutiliser. Une fois ouvert, jetez-le. <b>Ne pas utiliser</b> • si la solution a changé de couleur ou si elle est brouillée • si vous avez des plaies ouvertes aux yeux ou à proximité, consultez immédiatement un médecin <b>Cesser d'utiliser la solution et consulter un médecin</b> • vous ressentez une douleur oculaire • si votre vision change • rougeur ou irritation persistante des yeux • condition empire ou persiste <b>Garder hors de la portée des enfants.</b> En cas d'ingestion, communiquer immédiatement avec un médecin ou avec un centre antipoison.
<b>Mode d'emploi</b> • enlever les verres de contact avant l'utilisation • dévisser le bouchon pour l'enlever • rincer la zone touchée selon les besoins • ajuster le débit d'écoulement de la solution en augmentant ou en réduisant la pression exercée sur le contenant • si nécessaire, continuer de rincer avec une solution de rinçage oculaire d'urgence ou une douche
<b>Ingédients</b> eau stérile, chlorure de sodium, phosphate dibasique de sodium, phosphate monobasique de sodium
<b>Des questions?</b> Faites le 1-800-430-5490 Honeywell Safety Products USA, Inc. Smithfield, RI. 02917

Aspirin  
Principal Display Panel



Ammonia  
Principal Display Panel

796006 Rev. E Unit Carton Printing Plate for "A" size carton.



Principal Display Panel

SHAKE WELL BEFORE USING

Honeywell

FIRST AID

ANTISEPTIC SPRAY

Water soluble

Benzethonium chloride

Topical antiseptic

Benzocaine

Topical anesthetic

Helps prevent infection and  
relieves pain.

CAUTION: FLAMMABLE

Contents under pressure

Read warning on back panel.

NET WT. 3 OZ (85gm.)

47.0303

Burn Jel  
Principal Display Panel

Cat. No. 151019

DRUG FACTS

Active ingredients

Benzethonium chloride 0.2% w/w.....Topical antiseptic

Benzocaine 10% w/w.....Topical anesthetic

Purpose

Uses

• for the temporary relief of pain and itching and helps to protect against infection in

• minor cuts and scrapes • insect bites • minor skin irritations

Warnings

For external use only

Flammable • keep away from fire or flame • contents under pressure

• do not puncture or incinerate container • do not expose to temperatures above 120°F

Do not use • in or near eyes or other mucus membranes • in case of serious burns

• in case of deep or puncture wounds • for a prolonged period of time

• on large portion of the body

Stop use and ask a doctor if:

• conditions worsens or symptoms persist for more than 7 days

• condition clears up and recurs within a few days

• redness, swelling or irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • shake can well before using

• hold 4-6 inches from surface and spray area until wet

• may be covered with a sterile bandage. If bandaged, let dry first

• for adult institutional use only • not intended for use on children

Other information • avoid inhaling • use only as directed

• intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

Inactive ingredients dipropylene glycol, isobutane, n-butane, propane

Questions or comments? 1-800-430-5490

6 69635 15036 0

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

Honeywell

**Burn Jel®**

**Burn Jel®**  
Lidocaine HCl 2%  
External Analgesic

Distributed by  
Honeywell Safety  
Products USA, Inc.  
Smithfield, RI 02917

**PACKAGE NOT CHILD-RESISTANT**

ANSI Z39.1-2003

Burn Jel®

### Purpose

**Purpose**  
External on display

8

## Warrington

For external use only

**Do not use** over large areas of the body, particularly over raw surfaces or blistered areas.

**When using this product** avoid contact with eyes.

Stop the madness at once!!

- symptoms persist for more than 7 days
- condition clears up and recurs within a few days

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- adults and children 7 years of age and older: apply to affected area not more than 2-4 times daily

\* Child is under 2 years of age and a doctor

• You may report a serious adverse reaction to this product to 800-435-1490.

### Other information

**inactive ingredient** cabotegravir, cabotegravir 1542, disodium, cocrystal, monohydrate

tree/leaf of methyl

Questions or comments? 1-800-430-5490

800-451-4242



## Principal Display Panel

47001083 Rev B	<b>Honeywell</b>
<b>Antiseptic Towelettes</b>	<b>02-16-35MD</b>
	<b>Antiseptic Towelettes</b>
	<b>Benzalkonium chloride</b>
	<b>First aid antiseptic</b>
	<b>Six-Saturated Towelettes</b>
	Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

47001083 Rev B	<b>Antiseptic Towelettes</b>	<b>Honeywell</b>																										
	<table border="1"><tr><td colspan="2"><b>Drug Facts</b></td></tr><tr><td><b>Active Ingredient</b> Benzalkonium chloride 0.133% w/v</td><td><b>Purpose</b> First aid antiseptic</td></tr><tr><td colspan="2"><b>Uses</b> • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds</td></tr><tr><td colspan="2"><b>Warnings</b> For external use only</td></tr><tr><td colspan="2"><b>When using this product</b> • do not use in the eyes or apply over large areas of the body</td></tr><tr><td colspan="2"><b>Ask a doctor before use</b> • in case of deep or puncture wounds, animal bites, or serious burns</td></tr><tr><td colspan="2"><b>Stop use and consult a doctor if</b> • irritation, redness or other symptoms develop • condition persists or gets worse</td></tr><tr><td colspan="2"><b>Do not use</b> • longer than 1 week unless directed by doctor</td></tr><tr><td colspan="2"><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</td></tr><tr><td colspan="2"><b>Directions</b> • tear open packet, unfold and use as washcloth</td></tr><tr><td colspan="2"><b>Other Information</b> • store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette</td></tr><tr><td colspan="2"><b>Inactive ingredient</b> water</td></tr><tr><td colspan="2"><b>Questions or comments</b> 1-800-430-5490</td></tr></table>		<b>Drug Facts</b>		<b>Active Ingredient</b> Benzalkonium chloride 0.133% w/v	<b>Purpose</b> First aid antiseptic	<b>Uses</b> • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds		<b>Warnings</b> For external use only		<b>When using this product</b> • do not use in the eyes or apply over large areas of the body		<b>Ask a doctor before use</b> • in case of deep or puncture wounds, animal bites, or serious burns		<b>Stop use and consult a doctor if</b> • irritation, redness or other symptoms develop • condition persists or gets worse		<b>Do not use</b> • longer than 1 week unless directed by doctor		<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.		<b>Directions</b> • tear open packet, unfold and use as washcloth		<b>Other Information</b> • store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette		<b>Inactive ingredient</b> water		<b>Questions or comments</b> 1-800-430-5490	
<b>Drug Facts</b>																												
<b>Active Ingredient</b> Benzalkonium chloride 0.133% w/v	<b>Purpose</b> First aid antiseptic																											
<b>Uses</b> • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds																												
<b>Warnings</b> For external use only																												
<b>When using this product</b> • do not use in the eyes or apply over large areas of the body																												
<b>Ask a doctor before use</b> • in case of deep or puncture wounds, animal bites, or serious burns																												
<b>Stop use and consult a doctor if</b> • irritation, redness or other symptoms develop • condition persists or gets worse																												
<b>Do not use</b> • longer than 1 week unless directed by doctor																												
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.																												
<b>Directions</b> • tear open packet, unfold and use as washcloth																												
<b>Other Information</b> • store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette																												
<b>Inactive ingredient</b> water																												
<b>Questions or comments</b> 1-800-430-5490																												

4142 Kit Label  
SF00004067



Distributed by Honeywell Safety Products USA, Inc Smithfield, RI 02917

## 4142 FIRST AID KIT

4142 first aid kit kit

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4142
--------------	----------------	--------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4142-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	



Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	6 PACKET	21 g
Part 2	1 BOTTLE	118 mL
Part 3	3 PACKET	6
Part 4	2 AMPULE	0.6 mL
Part 5	1 CAN	85 g
Part 6	1 POUCH	1.4 mL

Part 1 of 6

BURN JEL

gel for burns gel

Product Information

Item Code (Source)	NDC:0498-0203
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
TROLAMINE (UNII: 9O3K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
TEA TREE OIL (UNII: VIF565UC2G)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
OCTOXYNOL-9 (UNII: 7JPC6Y25QS)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CARBOMER HOMOPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: HHT01ZNK31)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0203-00	3.5 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/19/2018	

## Part 2 of 6

### EYESALINE EMERGENCY EYEWASH

purified water liquid

#### Product Information

Item Code (Source)	NDC:0498-0100
Route of Administration	OPHTHALMIC

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
WATER (UNII: 059QF0KO0R) (WATER - UNII:059QF0KO0R)	WATER	98.6 mL in 100 mL

#### Inactive Ingredients

Ingredient Name	Strength
SODIUM PHOSPHATE, MONOBASIC, MONOHYDRATE (UNII: 593YOG76RN)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0100-02	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part349	12/18/2018	

## Part 3 of 6

### ASPIRIN

aspirin tablet

#### Product Information

Item Code (Source)	NDC:0498-0114
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE 2208 (100 MPA.S) (UNII: B1QE5P712K)	
MINERAL OIL (UNII: T5L8T28FGP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor		Imprint Code	FR21
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0114-01	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	09/18/2018	

Part 4 of 6

AMMONIA INHALENT

ammonia inhalent inhalant

Product Information	
Item Code (Source)	NDC:0498-3334
Route of Administration	RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
AMMONIA (UNII: 5138Q19F1X) (AMMONIA - UNII:5138Q19F1X)	AMMONIA	0.045 g in 0.3 mL

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-3334-00	0.3 mL in 1 AMPULE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		09/18/2018	

Part 5 of 6
<b>FIRST AID ANTISEPTIC WATER SOLUBLE</b>
benzethonium chloride, benzocaine spray

Product Information	
Item Code (Source)	NDC:0498-0031
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 g in 100 g
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	10 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
ISOBUTANE (UNII: BXR49TP611)	

BUTANE (UNII: 6LV4FOR43R)	
PROPANE (UNII: T75W9911L6)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0031-40	85 g in 1 CAN; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	09/19/2018	

### Part 6 of 6

### ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

### Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	12/21/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

**Labeler** - Honeywell Safety Products USA, INC (079287321)

## Establishment

Name	Address	ID/FEI	Business Operations
James Alexander		040756421	manufacture(0498-3334)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, INC		079287321	pack(0498-4142)

## Establishment

Name	Address	ID/FEI	Business Operations
Ultra Seal Corporation		085752004	manufacture(0498-0114)

## Establishment

Name	Address	ID/FEI	Business Operations
Dixon Investments		115315822	manufacture(0498-0031)

## Establishment

Name	Address	ID/FEI	Business Operations
Honeywell Safety Products USA, Inc.		167518617	manufacture(0498-0203)

## Establishment

Name	Address	ID/FEI	Business Operations
Changzhou Maokang Medical		421317073	manufacture(0498-0100)

## Establishment

Name	Address	ID/FEI	Business Operations
Water-Jel Technologies		155522589	manufacture(0498-0501)

Revised: 5/2019

Honeywell Safety Products USA, INC